



INTERNATIONAL  
BEARDED VULTURE  
MONITORING

IOD 2020

---

## 15<sup>th</sup> International Bearded Vulture Observation Days

Focal day - October 3<sup>rd</sup> 2020  
IOD Period - October 3<sup>rd</sup>-10<sup>th</sup> 2020





# Imprint

---

**Author**

Mirco Lauper

**Version**

19.04.2021

**Recommended form of citation**

Lauper, M (2021): 15<sup>th</sup> International Bearded Vulture Observation Days - IOD 2020. Survey report, International Bearded Vulture Monitoring (IBM); ed. Vulture Conservation Foundation. pp 1-32.

**Contact**

[ibm@4vultures.org](mailto:ibm@4vultures.org)



The IOD 2020 were organised by the following  
IBM-members<sup>1</sup> and associated organisations<sup>2</sup>:

ASTERS<sup>1</sup>

ENVERGURES ALPINES<sup>1</sup>

GENERALITAT VALENCIANA<sup>1</sup>

LANDESBUND VOGELSCHUTZ BAYERN – LBV<sup>1</sup>

NATIONALPARK HOHE TAUERN<sup>1</sup>

PARCO NAZIONALE GRAN PARADISO<sup>1</sup>

PARC NATIONAL DE LA VANOISE<sup>1</sup>

PARC NATIONAL DU MERCANTOUR<sup>1</sup>

PARCO ALPI COZIE<sup>1</sup>

PARCO NATURALE ALPI MARITTIME - WAON<sup>1</sup>

PARCO NAZIONALE DELLO STELVIO / NATIONALPARK STILFSEERJOCH<sup>1</sup>

STIFTUNG PRO BARTGEIER / FONDATION PRO GYPAËTE<sup>1</sup>

VAUTOURS EN BARONNIES<sup>1</sup>

VULTURE CONSERVATION FOUNDATION<sup>1</sup>

JUNTA DE ANDALUSIA<sup>1</sup>

GREEN BALKANS<sup>2</sup>

LPO AUDE<sup>2</sup>, LPO07<sup>2</sup>, LPO SAVOIE<sup>2</sup>, ZNAIp<sup>2</sup>



Aree Protette  
Alpi Cozie



## Table of content

<b>1</b>	<b>Abstract.....</b>	<b>7</b>
<b>2</b>	<b>Key facts.....</b>	<b>8</b>
<b>3</b>	<b>Preface.....</b>	<b>9</b>
<b>4</b>	<b>Methods.....</b>	<b>9</b>
4.1	Organisation.....	9
4.2	Time Period.....	9
4.3	Monitoring Area.....	10
4.4	Data collection and observation protocol.....	10
4.5	Data Analysis.....	11
4.6	Age classification.....	11
<b>5</b>	<b>Results and Discussion.....</b>	<b>12</b>
5.1	Weather conditions.....	12
5.2	Observation data.....	13
5.3	Telemetry data.....	16
5.3.1	IBM-monitoring area.....	16
5.3.2	Alpine range.....	18
5.4	Individual based data.....	20
5.5	Spatial distribution of age groups.....	22
5.5.1	Alpine range.....	23
5.5.2	Massif Central & French Pre-Pyrenees.....	25
5.5.3	Spain (without Pyrenees).....	25
5.5.4	Bulgaria.....	26
<b>6</b>	<b>Outlook 2021.....</b>	<b>27</b>
<b>7</b>	<b>Acknowledgements.....</b>	<b>28</b>

**The International Observation Days (IOD)** are an annual monitoring event for Bearded Vultures organised by the International Bearded Vulture Monitoring network (IBM). The monitoring action takes place in the first two weeks of October with a synchronous and coordinated survey on the focal day and covers large parts of the Alpine arc (since 2006), parts of the Massif Central (since 2012), the eastern part of the French Pyrenees (since 2016), several regions in Spain (since 2017), some selected sites in Bulgaria (since 2018) and the High Atlas (since 2019). The aim of this expanding network is to establish a Europe-wide monitoring of the Bearded Vulture population where time-synchronised observations on the focal day allow to make an approximate estimate of the population size and age class distribution. A monitoring action of this scale and the fact that birds are identified on an individual level whenever possible, is unique and generates baseline information for survival analyses and demographic modelling, which give valuable insight into the reintroduction progress. Furthermore, the number of participants during the IOD increases every year and thus the IOD represents a big public event that helps to increase awareness for the conservation of the Bearded Vulture as a flagship species.

## 1 Abstract

Despite the unfavourable weather situation in most of the Alpine range on this year's focal day (3.10.2020) more than 790 observers joined the IOD 2020 and reported 483 Bearded Vulture observations. Beside the 499 occupied observation sites some others were not accessible due to snowfall at even low altitudes on the focal day, which is why the monitoring event was locally postponed until later in the IOD period. Thus, the coordination work of the regional responsibilities of 15 IBM-partners and several associated organisations was all the more important because they know the local conditions and their monitoring teams. Thanks to their efforts and the support of numerous volunteers, ornithologists, park staff, hunters, gamekeepers and many more, the IOD, the largest international Bearded Vulture monitoring event, could still be carried out for the 15<sup>th</sup> time in a row.

In order to obtain a reliable Alpine population estimate, synchronous monitoring over a large part of the area is necessary to avoid double counting. However, due to limited access or poor visibility in many regions, the monitoring network could not be covered as in previous years. In addition, it must be assumed that fewer Bearded Vultures were observed flying at sites with bad weather, as a consequence of the unfavourable thermal conditions. Because of these limitations, no reliable estimate of the Alpine Bearded Vulture population or its age class distribution could be made in 2020. Nevertheless, in the Alps it was possible to identify 27 Bearded Vulture individuals with certainty, while a further 22 birds could be identified with slightly lower probability. These data provide important information on the life-history of these animals and can serve to calculate parameters for demographic modelling. Out of 38 GPS-tagged animals that sent data during the IOD period 2020, only 10 individuals could be identified. Thanks to GPS-tagging, we therefore understand how difficult it can be to identify animals and thus how valuable identification data is.

The Spanish IBM-partners profited from favourable weather conditions and estimated the Bearded Vulture population in Andalusia, Castilla y León, Castilla la Mancha, Murcia and Valencia with a minimal and maximal number of 28 and 45 Bearded Vultures, respectively. Furthermore, they were able to identify 20 Bearded Vulture individuals. In the French Pre-Pyrenees, the moderate weather situation allowed to estimate the local population at 8-14 individuals, while the IOD was cancelled in the Massif Central due to bad weather forecast. Same as in the last two years, no Bearded Vultures have been observed in Bulgaria where the species has been considered extinct since 1972.

The experiences of this year have confirmed that only a comprehensive monitoring network with synchronous observations allow to estimate the population size within a wide-ranging area such as the Alpine range. The IBM-network has been pursuing this goal since 1999 and in the course of time hundreds of Bearded Vulture enthusiasts have joined the network and are willing to support this project even under harsh weather conditions.

## 2 Key facts

### Monitoring organisation

- 15 IBM-partners and several associated organisations coordinated the IOD 2020
- despite the harsh weather conditions 792 observers participated in Austria, Bulgaria, France, Germany, Italy, Spain and Switzerland
- 423 sites were occupied during the focal day (3.10.2020) another 76 during the IOD period
- weather situation at the observation sites: 36% good, 21% moderate and 43% unfavourable

### Observation results

- 483 Bearded Vulture observations during the IOD period, 434 of them on the focal day 03.10.2020
- Bearded Vultures observed at 176 out of 499 sites (35%)
- observed age class distribution (number of observations)
  - adult (N = 278, 58%)
  - subadult (N = 13, 3%)
  - immature (N = 99, 20%)
  - juvenile (N = 43, 9%)
  - unknown (N = 50, 10%)

### Age class distribution & populations estimates

- estimated age class distribution in the alps (individuals)
  - *no synchronous census due to bad weather*
- estimated number of Bearded Vulture individuals:
  - Alps: *no synchronous census due to bad weather*
  - Massif Central: *no IOD due to bad weather*
  - Pre-Pyrenees (FRA): 8-14
  - Spain<sup>1</sup>: 28-45
  - Bulgaria: 0

### Individual based data

- 27 (Alps) and 20 (Spain) individuals were identified
- 22 (Alps) individuals were probably identified
- GPS-data is available for 55 individuals during the IOD period 2020
- in the Alps 10 (~26%) of the 38 GPS-tagged individuals were identified by the observers

---

<sup>1</sup> Only for monitored parts (e.g. no survey in Spanish Pyrenees and other mountain ranges)



## 3 Preface

Due to bad weather conditions and snowfall down to lower altitudes on the focus day throughout the Alpine range, observations could only be carried out to a limited extent at many locations and had to be cancelled in others. Since synchronous observation and comprehensive monitoring was not possible, no estimates of population size can be derived for this year in most areas, especially in the Alps. Nevertheless, the observation of identified individuals provides valuable information and the commitment of many volunteers despite the harsh weather conditions shows the enthusiasm for the Bearded Vulture project and strengthens the monitoring community.

## 4 Methods

### 4.1 Organisation

The monitoring is coordinated and executed simultaneously over the four Alpine zones (eastern, central, north-western and southern Alps), in the Massif Central, in parts of the French Pyrenees, Spain and Bulgaria by local IBM-partners and associated organisations (**Figure 1**). This ultimately allows to gain information about Bearded Vulture presence thus avoiding/reducing the chance of double counts and allowing us to get the big picture of Bearded Vulture distribution.

In the previous years, monitoring was expanded towards the Pyrenees (department Aude in France) in order to reveal exchanges between the separated populations from the Alps and the Pyrenees. Since 2017, our Spanish colleagues (and new IBM-partner since 2019) organise the IOD within parts of Andalusia and Castilla y León and share their results with the IBM-network in order to contribute to get a wider picture about the Bearded Vulture population in western Europe. A new observer network is also establishing in the eastern parts of Europe in Bulgaria, where the *Green Balkans* participate at the IOD for the second time and thus raise awareness for the regionally extinct species.

As in the previous years, no IOD was organised on Corsica. Moreover, due to bad weather conditions, the IOD was not conducted in the Massif Central (FRA) and Vercors (FRA).

### 4.2 Time Period

The 2020's international survey was held between the 3<sup>rd</sup> and the 10<sup>th</sup> October with the focal day on Saturday 3<sup>rd</sup> of October. The buffer period of one week is chosen to allow more flexibility for areas where the weather conditions are not suitable on the focal day.

All dates are decided on mutual agreement among the IBM partners and take into account partner's availability, other ornithological appointments and the birds' reproductive behaviour (see [future dates](#)). The fact, that Bearded Vultures are active in nest building during October, makes this a suitable period to observe the birds and record possible new territories and breeding pairs.

### 4.3 Monitoring Area




Figure 1. The IOD-monitoring area is regionally coordinated by 15 IBM-partners and associated organisations.

### 4.4 Data collection and observation protocol

Due to bad weather conditions the survey period varied considerably among regions and took place between 10:00 am and at least 15:00 pm. The teams are composed of one or more observers, at least one of them being experienced, equipped with binoculars and, depending on availability, telescope and camera. For each observation site and Bearded Vulture sighting the following information was recorded:

#### Observation site:

- Date and site occupancy (time)
- team/partner and observer names
- site name, address and coordinates
- weather conditions
- total number of observed Bearded Vultures
- presence/observation of other species

#### Bird observation:

- date
- time and duration of the observation
- age of the bird<sup>2</sup>
- bird name / hypothesis
- picture if possible

<sup>2</sup> In age classes: juvenile (1.cy), immature (2.-3.cy), subadult (4.-5.cy) adult (≥6.cy)

## 4.5 Data Analysis

Due to the bad weather conditions in the Alpine range, no population estimate can be made for this area this year. In the areas with suitable weather conditions, the procedure was the same as in previous years: All data is collected at the end of the day by the local administrators who will review the reported observations. The local administrators work in close cooperation with field assistants/observers and other nearby local administrators responsible for the surrounding monitoring areas. Based on for example individual markings, temporal overlap of the sightings, knowledge about known territorial birds and their juveniles that still remain in the area, they are able to critically assess the number of observations and judge to how many individual Bearded Vultures the IOD observations refer to. GPS-tagged birds that were not observed, are added to the estimate and also serve as a measure for detection probability.

The population estimate should only base on data from the focal day in order to avoid that individuals are observed and thus counted twice in two different regions. Individual identification is challenging and since it is not always possible to assess whether several observations have been made of the same individual, the final estimate includes a minimal and a maximal count number, namely accounting for a stricter versus a less conservative analysis.

## 4.6 Age classification

Per definition the IBM always uses calendar years (cy) for age specifications (**Table 1**).

*Table 1. IBM-standard age classification.*

Entry in the IBM (life stage)	Calendar year (cy)	Real age (years)		Life history event
		Jan-Feb	Mar-Dec	
juvenile (1. year)	1	-	0	<i>hatch</i>
immature (2. year)	2	0	1	<i>non-territorial</i>
immature (3. year)	3	1	2	<i>non-territorial</i>
subadult (4. year)	4	2	3	<i>non-territorial</i>
subadult (5. / 6. year)	5	3	4	<i>potential nesting</i>
adult (≥ 6. year)	6	4	5	<i>potential breeding</i>
adult (≥ 6. year)	≥7	5	≥6	<i>potential breeding</i>

## 5 Results and Discussion

### 5.1 Weather conditions

The overall weather situation was unfavourable in 2020 with 36% good, 21% mediocre and 43% bad weather situations at the observation sites (**Figure 2**). In 2019 only 1% of the sites reported unfavourable weather and therefore no comparison between the two years are possible. Unfavourable weather conditions decrease the detection probability of the individuals and should therefore be considered for the interpretation of the population estimates.




Figure 2. Weather conditions at the observations sites reported by the observers in the field during the IOD 2020. Only one third of the observers (36%) profited from good weather conditions and in some regions the survey had to be cancelled due snowfall, rain or poor visibility.

## 5.2 Observation data

In 2020, despite the unfavourable weather conditions a total of 792 observers have occupied 499 observation sites in the Alps, in the French Pyrenees (department “Aude”), parts of Spain as well as Bulgaria (**Figure 3 and Table 2**).

As in the previous years, the western regions of the Alps remain the most thoroughly surveyed areas together with the area of the Stelvio National Park in the North of Italy. With additional observation sites close to the Spanish border near the Pyrenees the IBM monitoring network plans to cover regions that might serve as a connection between the Bearded Vulture populations from the Alps and the Pyrenees. As it is known, that Bearded Vultures in Spain move between the mountainous areas in the South and the region of Castilla y León, Castilla-La Mancha and La Rioja in the North, the observer network has been expanded in these areas.

In the eastern part of Europe, in Bulgaria several observations sites were also occupied for the first time in 2018, even though so far, no Bearded Vultures are known to be present in this region. However, in the future this region could serve as a stepping-stone area between the Alpine and Greek Bearded Vulture population and to establish an observer network in this area thus makes sense in the long-term perspective.




Figure 3. Distribution of all 499 observation sites during the IOD 2020 in Europe. Red triangles depict those sites where Bearded Vultures have been observed at least once during the IOD period 3<sup>rd</sup>-10<sup>th</sup> of October 2020 (N=176) while no observations have been reported from sites marked with a blue dot (N=323).

Table 2. Number of observation sites and observers per region during the IOD 2020 (focal day 03.10.2020).

Zone	Country	Region	Occupied sites in October 2020						Total	Observers		
			3.	4.	5.	7.	8.	9.			10.	
<b>Alpine range</b>			<b>349</b>	<b>13</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>51</b>	<b>425</b>	<b>698</b>
<b>East</b>	AUT	Kärnten	2								2	
	AUT	Salzburg	5								5	
	AUT	Tirol	1								1	21
	DEU	Bayern	2								2	
	ITA	Trentino-Alto Adige								8	8	
<b>Central</b>	AUT	Tirol	1								1	
	AUT	Vorarlberg	1								1	
	CHE	Central Switzerland	9							1	10	
	CHE	Eastern Switzerland	30								30	
	CHE	Ticino	7							12	19	219
	CHE	Western Switzerland	3								3	
	DEU	Bayern	8								8	
	ITA	Lombardia	48								48	
ITA	Trentino-Alto Adige	2							22	24		
<b>North-West</b>	CHE	Western Switzerland	34	3	3	3	2	3		1	49	
	FRA	Rhône-Alpes	63	1			1				65	268
	ITA	Piemonte	16	4						7	27	
	ITA	Valle d'Aosta	9	5							14	
<b>South-West</b>	FRA	Provence-Alpes-Côte d'Azur	53								53	
	FRA	Rhône-Alpes	15								15	190
	ITA	Piemonte	40								40	
<b>Massif Central</b>	FRA	Languedoc-Roussillon	1								1	1
<b>Pre-Pyrenees</b>	FRA	Languedoc-Roussillon	12								12	20
<b>Spain (without Pyrenees)</b>												
	ESP	Andalucía	21								21	
	ESP	Castilla y León	3								3	
	ESP	Castilla-La Mancha	5								5	66
	ESP	Comunidad Valenciana	2								2	
	ESP	La Rioja	4								4	
	ESP	Región de Murcia	20								20	
<b>Bulgaria</b>												
	BGR	Blagoevgrad	1								1	
	BGR	Haskovo	1								1	
	BGR	Montana	1								1	7
	BGR	Sliven	2								2	
	BGR	Stara Zagora	1								1	
<b>Sites total IOD 2020</b>			<b>423</b>	<b>13</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>51</b>	<b>499</b>	<b>792</b>

Table 3. Number of Bearded Vulture sightings for each region during the whole IOD period 2020 (focal day 03.10.20). 0 values indicate dates where sites were occupied but no Bearded Vulture have been observed.

Zone	Country	Region	Bearded Vulture observations in October 2020							Total
			3.	4.	5.	7.	8.	9.	10.	
<b>Alpine range</b>			<b>390</b>	<b>8</b>	<b>4</b>	<b>3</b>	<b>4</b>	<b>4</b>	<b>26</b>	<b>439</b>
<b>East</b>	AUT	Kärnten	2							2
	AUT	Salzburg	2							2
	AUT	Tirol	2							2
	DEU	Bayern	0							0
	ITA	Trentino-Alto Adige							0	0
<b>Central</b>	AUT	Tirol	1							1
	AUT	Vorarlberg	0							0
	CHE	Central Switzerland	6							6
	CHE	Eastern Switzerland	48							48
	CHE	Ticino	2						2	4
	CHE	Western Switzerland	0							0
	DEU	Bayern	0							0
	ITA	Lombardia	91							91
	ITA	Trentino-Alto Adige	0						19	19
<b>North-West</b>	CHE	Western Switzerland	30	4	4	3	2	4	3	50
	FRA	Rhône-Alpes	141	1			2			144
	ITA	Piemonte	3	0					2	5
	ITA	Valle d'Aosta	16	3						19
<b>South-West</b>	FRA	Provence-Alpes-Côte d'Azur	16							16
	FRA	Rhône-Alpes	20							20
	ITA	Piemonte	10							10
<b>Massif Central</b>	FRA	Languedoc-Roussillon	0							0
<b>Pre-Pyrenees</b>	FRA	Languedoc-Roussillon	8							8
<b>Spain (without Pyrenees)</b>										
	ESP	Andalucía	28							28
	ESP	Castilla y León	0							0
	ESP	Castilla-La Mancha	3							3
	ESP	Comunidad Valenciana	5							5
	ESP	La Rioja	0							0
	ESP	Región de Murcia	0							0
<b>Bulgaria</b>										
	BGR	Blagoevgrad	0							0
	BGR	Haskovo	0							0
	BGR	Montana	0							0
	BGR	Sliven	0							0
	BGR	Stara Zagora	0							0
<b>Observations total IOD 2020</b>			<b>434</b>	<b>8</b>	<b>4</b>	<b>3</b>	<b>4</b>	<b>4</b>	<b>26</b>	<b>483</b>

## 5.3 Telemetry data

### 5.3.1 IBM-monitoring area

During the IOD-period GPS-data of 55 Bearded Vultures with satellite tags have been retrieved in the Alpine range, the Massif Central, the Pyrenees, north-eastern Spain and Corsica<sup>3</sup> (**Figure 4**). Although this data is not part of the IOD, this information is collected as representative of their positions and to detect areas of monitoring deficiencies. Some of these birds still show their individual marking patterns (bleached feathers) and can therefore be identified by observers. Exceptions are the wild-born birds which have been GPS-tagged but not marked by bleaching their feathers.

GPS-data can serve as an indicator to assess the risk of double counting of individuals. The wide range movement patterns of some birds (**Figure 4**) underline the importance of using only observational data from a narrow period (focal day) for population estimation to avoid double counting.

---

<sup>3</sup> No IOD was organized on Corsica in 2020.






Figure 4. 55 GPS-tagged Bearded Vultures during the IOD periode. Blue dots = occupied observation sites.

### 5.3.2 Alpine range

During this year's IOD, GPS-data in the Alpine range was available from 35 out of 38 GPS-tagged birds during the IOD period and on the focal day (3.10.2020). No data was available from Mison (W230), Noel-Leya (BG797) and Ewolina (BG838) on the focal day. Out of the 38 GPS-tagged birds 10 individuals could be sighted and identified, while 5 birds were identified with some uncertainty by observers. In 2020 38% of the GPS-tagged birds have been sighted and identified, similar compared to 2019 (35%).




Figure 5. Positions of 35 Bearded Vultures tagged with GPS transmitters that were present in the Alpine range during the focal day (03.10.2020). Observation sites that were occupied during the IOD-period are marked with grey circles. During the IOD-period 10 birds have been identified (green labels), 5 birds have been identified with high probability (blue labels) and 23 birds couldn't be identified (red labels).

Table 4. 55 birds, 28 males and 23 females, with active GPS-tag during the IOD periode 2020. No IOD was organised in Corsica and the Massif Central in 2020.

Animal	BirdID	Sex (m/f)	Age class	Days with pos.	Pos. on focal day	Observed (yes/maybe/no)
<b>Alps</b>	<b>38</b>	<b>19/15</b>				<b>10/5/23</b>
Fortuna	843	m		8	7	yes
Noel-Leya	797	m		6	0	yes
Roman	854	m		8	6	yes
Tenao	755	m	adult	8	3	yes
Ewolina	838	f		2	0	no
Lea	840	m		8	4	no
Schils	802	m		7	7	no
Veronika	321	f		8	8	no
Cierzo	899	m		8	15	maybe
Gemapi	W196	f		8	9	no
Girun	904	f	subadult	8	5	no
Gypsy	W209	m		8	35	no
Léoux	950	f		8	9	no
Mison	W230	f		3	0	no
Elvio	1026	m		8	13	yes
Fredueli	1001	m		8	68	yes
Mistral	1022	m		8	23	yes
Altitude	W313	f		8	28	maybe
Emparis	W284	f		8	41	maybe
Caeli	998	m		8	18	no
Carmen	1027	f	immature	8	24	no
Finja	1003	f		8	17	no
Kasimir	991	m		4	12	no
Lapie	W251	m		8	35	no
Pamela	1031	f		8	48	no
Pierro	W301	m		8	44	no
Simay	983	m		8	6	no
Sixt Buet	W285	f		8	32	no
Bellevarde	W362	u		8	25	yes
Luzerna	1071	f		8	50	yes
Penti2020	W348	f		8	37	yes
Palo-Pala	1062	m		8	48	maybe
Vidoc	W356	u	juvenile	8	16	maybe
Angèle	1058	m		8	30	no
Bellecote	W361	u		8	57	no
Fortunat	1068	m		8	59	no
Kobalann	1063	f		8	46	no
Prazon-sixt-fer-a-cheval	W346	u		8	75	no
<b>Massif Central</b>	<b>7</b>	<b>3/4</b>				<b>0/0/7</b>
Layrou	761	m	adult	8	7	no
Cévennes	1032	m	immature	8	21	no
Aven	1067	f	juvenile	8	5	no
Dolomie	1070	m	juvenile	8	42	no
Eglazine	1069	f	juvenile	8	35	no
Fario	1079	f	juvenile	8	23	no
Ophrys	1078	f	juvenile	8	27	no
<b>Pyrenees</b>	<b>3</b>	<b>3/0</b>				<b>0/0/3</b>
Roc Genève	-	m	subadult	8	12	no
Alos	992	m	immature	8	7	no
Bassi	1033	m	immature	8	20	no
<b>Corisca</b>	<b>4</b>	<b>2/2</b>				<b>0/0/4</b>
Luna	959	f	subadult	8	7	no
Muntagnolu	890	m	subadult	8	5	no
Cintu	1042	m	immature	8	214	no
Orba	1041	f	immature	8	167	no
<b>Maestrazgo</b>	<b>3</b>	<b>1/2</b>				<b>2/0/1</b>
Boira	1040	f	immature	8	55	yes
Amic	995	m	immature	8	26	no
Celest	1073	f	juvenile	8	33	yes

## 5.4 Individual based data

During the IOD 2020 period 27 individuals have been identified with high probability in the Alpine range. 2 of them in the eastern Alps, 13 in the central Alps, 1 in the north-western Alps, 11 in the south-western Alps and 20 in Spain. In the Alpine range, another 22 birds were identified with uncertainty and these "potentially" identified birds are marked as "maybe identified" in

**Table 5 & Table 6.** Such individual based monitoring is only possible due to the international collaboration, information exchange and the coordination of marking patterns within the international Bearded Vulture monitoring network.

Table 5. 49 Bearded Vultures that were identified (22 of them with some uncertainty = maybe identified) in the Alpine range during the IOD 2020 grouped by the region where they have been observed.

Zone	Bird	Observed (yes/maybe)	BirdID	Sex (m/f)	Age (cy)	Tag	Territory	Region
	<b>49</b>	<b>27/22</b>		<b>21/16</b>				
Eastern	Kruml7	yes	W332	u	1		Gastein/Rauris	Hohe Tauern NP (AUT)
	Alexa	maybe	100	f	33		Gastein/Rauris	
	Andreas Hofer	maybe	260	m	25		Gastein/Rauris	
	Fortuna	yes	843	m	6	GPS	Kleines Fleisstal	
Central	Fredueli	yes	1001	m	3	GPS		Central Switzerland
	Luzerna	yes	1071	f	1	GPS		
	Noel-Leya	yes	797	m	7	GPS		
	Diana-Stelvio	yes	W07	f	21		Albula	
	GT0116	yes	-	m	-		Bergün	Grison (CHE)
	GT0117	yes	-	f	-		Bergün	
	Ortler	yes	439	f	17		Ofenpass	
	Livigno	maybe	W08	m	21		Ofenpass	Stelvio NP, Trentino & Sondrio (ITA)
	Vitus	yes	W344	u	1		Ova Spin	
	Pontresina2020	yes	W345	u	1		Pontresina	
	Penti2020	yes	W349	u	1	GPS	Livigno	
	Cic	maybe	186	m	28		Livigno	
	Moische	maybe	146	f	30		Livigno	
Stift	yes	393	f	19		Valle del Braulio		
Tell	maybe	283	m	24		Valle del Braulio		
Felice	yes	375	f	20		Zeburu		
Heinz-Serraglio	yes	W45	m	14		Zeburu		
Alpine range	Vidoc	maybe	W356	u	1	GPS	Bargy	Haute Savoie (FRA)
	Gwaihir	maybe	W363	u	1		Andagne	Savoie (FRA)
	Condamine	maybe	586	f	12		Pralognan	
	GT054	maybe	-	m	-		Pralognan	
	Nina	maybe	W364	u	1		Pralognan	
	Mila	maybe	W358	u	1		Termignon	
	Bellevarde	yes	W362	u	-	GPS	Val dsère	
	Nonno Bob	maybe	548	m	13			
	Palo-Pala	maybe	1062	m	1	GPS		
	Altitude	maybe	W313	u	2	GPS		
	Cierzo	maybe	899	m	5	GPS		
	Emparis	maybe	W284	f	2	GPS		
	Gelas	maybe	279	f	24			
	Gildo	maybe	299	f	23		Derborence_Vérouet	Wallis und Berner Oberland (CHE)
	Guillaumes	maybe	411	f	18		Derborence_Vérouet	
	Pablo	maybe	359	m	21		Derborence_Vérouet	
Elena	maybe	613	f	11				
North-western	Maurich	yes	W365	u	1		Usselgio	Alpi Marittime (ITA)
	Roman	yes	854	m	6	GPS		
	Basalte	yes	716	m	9		Malaval	Haute Dauphiné (FRA)
	Elvio	yes	1026	m	2	GPS		
	Mistral	yes	1022	m	2	GPS		
	Cuneobirding	yes	491	f	15		Chambeyron-Ubayette	
	Stephan	yes	616	m	11		Chambeyron-Ubayette	Mercantour (FRA)
	Tensing	yes	W337	u	1		Chambeyron-Ubayette	
	GT036	yes	-	f	-		Source de l'Ubaye	
	Sereno	yes	348	m	21		Source de l'Ubaye	
Tenao	yes	755	m	8	GPS	Val d'Entraunes		

Table 6. Bearded Vultures that were identified in Spain (without the Pyrenees) during the IOD 2020.

Zone	Bird	Observed (yes/maybe)	BirdID	Sex (m/f)	Age (cy)	Tag	Territory	Region
Spain (without Pyrenees)	20	20		7/12				
	Boira	yes	1040	f	2	GPS		
	Celest	yes	1073	f	1	GPS		Maestrazgo (ESP)
	Otal	yes	-	u	-			
	Guadalquivir	yes	751	m	8		Castril	
	Blimunda	yes	633	f	11		Cazorla 1	
	Tono	yes	486	m	15		Cazorla 1	
	Bigup	yes	856	m	6		Cazorla 2	
	Encina	yes	713	f	9		Cazorla 2	
	Estela	yes	746	f	8		Segura 2	
	Rayo	yes	799	m	7		Segura 2	
	Nerpio	yes	762	m	8		Segura 3	
	Miguel	yes	800	m	7		Segura 4	Andalusia (ESP)
	Alejandra	yes	1059	f	1			
	Curro	yes	1057	f	1			
	Heli	yes	955	m	4			
	Huesitos	yes	1036	f	2			
	Samburu	yes	1055	f	1			
	Tramaya	yes	1023	f	2			
	Trashumancia	yes	1025	f	2			
Vainilla	yes	1029	f	2				

## 5.5 Spatial distribution of age groups

From 499 sites 483 Bearded Vulture sightings have been recorded during the whole period, 434 during the focal day (**Table 3**).

In terms of reintroduction and resettlement of a species like the Bearded Vulture, it is of interest to gain a picture of the spatial distribution of different age classes. In particular, the presence of sexually mature adult birds can be an indicator for the formation of new reproductive units in the periphery of the species' distribution.

The following figures (**Figure 6 - Figure 12**) show the presence of Bearded Vultures subdivided in the two age groups adult and non-adult (juvenile, immature, subadult) at the regional level and give a more detailed overview on the Bearded Vulture distribution during the whole observation period. Each symbol on the map represents the position of an observation site.

### 5.5.1 Alpine range




Figure 6. Age class distribution observed at 18 sites in the Eastern Alps during the IOD 2020.




Figure 7. Age class distribution observed at 144 sites in the Central Alps during the IOD 2020.




Figure 8. Age class distribution observed at 155 sites in the north-western Alps during the IOD 2020.




Figure 9. Age class distribution observed at 108 sites in the north-western Alps during the IOD 2020.



### 5.5.2 Massif Central & French Pre-Pyrenees




Figure 10. Age class distribution observed at 13 sites in the region between the Massif Central and the french Pyrenees during the IOD 2020.

### 5.5.3 Spain (without Pyrenees)




Figure 11. Age class distribution observed at 55 sites in Spain during the IOD 2020.

### 5.5.4 Bulgaria




Figure 12. Age class distribution observed at 6 sites in Bulgaria during the IOD 2020.

## 6 Outlook 2021

Before 2015, an Europe wide alternative date was set, which was abandoned due to difficulties in organising and decision for postponement. However, in weather situations like in 2020, it would have been very helpful to have this second date. Therefore, from 2021 onwards, a focal day, observation period and second date are agreed and set. It will be a joint selection if the first focal day can be respected or if the full IOD has to be postponed.

### **Period 2<sup>nd</sup> - 9<sup>th</sup> of October 2021**

**Focal day 1: Sat 2<sup>nd</sup> of October 2021.**

**Focal day 2: Sat 9<sup>th</sup> of October 2021** (bad weather alternative)

Even though a period of one week was chosen for public communication, we would like to stress the importance of focused observation intensity. Observations can be cumulated only within the core period. Therefore, **the count by specialists and volunteers on observation posts shall be carried out only during the focal day.**

The focal time for the count starts at 10 am to at least 3 pm.

## 7 Acknowledgements

*Special thanks go to the IBM-partners for the organisation of the census on the regional level and to all participants of the observation days (alphabetically ordered):*

- ◆ Abteilung 32 Forstwirtschaft - Forstinspektorate und Amt f. Jagd u. Fischerei (Klaus BLIEM)
- ◆ Amt für Jagd und Fischerei Graubünden and game keepers
- ◆ Association Le Rougegorge (Kerstin & Pierre KARBE-LAUENER)
- ◆ Associazione Naturalistica Le Gru (Daniele RETEUNA)
- ◆ Associazione OIKOS (S. TACHET, F. LANTELME, N. CARQUILLAT, E. CARQUILLAT)
- ◆ Asters, Conservatoire d'espaces naturels Haute-Savoie with the observer network of Asters, LPO 74 in the Haute-Savoie region, CCPEVA.
- ◆ Azienda Faunistica- venatoria Albergian (M. FERRIER, A. VIGNETTA)
- ◆ Birds of Prey Protection Society (Georgi STOYANOV)
- ◆ CÀDEC, S.L. (Antonio ALCOCER)
- ◆ Carabinieri Forestali Torre Pellice (M. SALSOTTO, S. LIVIELLO)
- ◆ Castilla La Mancha, provincia de Albacete (JA López DONATE, Miguel FAJARDO, Antonio CATALAN, Amas y Voluntarios)
- ◆ Castilla La Mancha, provincia de Cuenca (Enrique MONTERO y amas)
- ◆ Christian PENTORI, Silvana DE COL e Giuseppe Bepi TORMEN
- ◆ Comando dei Carabinieri Forestali (Stazioni di Dronero, Sampeyre e Caraglio)
- ◆ Conseil départemental de la Drôme (Christine ROULAUD)
- ◆ CTA Bormio (Riccardo GHILOTTI and Carabinieri Forestali)
- ◆ Ente di Gestione delle Aree protette delle Alpi Marittime (Fabiano SARTIRANA & Giuseppe CANAVESE)
- ◆ Envergures alpines (Cathy HUSTACHE-RIBOT, Christian COULOUMY)
- ◆ Ficedula, Associazione per lo studio e la conservazione degli uccelli della Svizzera italiana
- ◆ Fund for Wild Flora and Fauna (Emilyan STOINOV, Hristo PESHEV)
- ◆ Generalitat Valenciana (Juan JIMÉNEZ)
- ◆ Gran Paradiso NP Administration & wardens (Alberto PERACINO)
- ◆ Green Balkans (Ilyan STOEV, Konstantin DICHEV)
- ◆ Gruppo Piemontese Studi Ornitologici (E. CAPRIO)
- ◆ Guardie Ecologiche Volontarie Valle Camonica (Mauro SPEZIARI)
- ◆ Hohe Tauern National Park with the observer network
- ◆ Junta de Andalucía, Consejería de Agricultura, Ganadería, Pesca y Desarrollo Sostenible (Iñigo FAJARDO)
- ◆ La Rioja (Luis LOPO, Juan Ignacio IBÁÑEZ, David MARTÍN y amas)
- ◆ Landesbund für Vogelschutz in Bayern e.V. (Brigitte KRAFT, Toni WEGSCHEIDER, Doris SCHMID, Thomas DREHER, Ralph MÜLLER, Bernd KLEINSCHOD, Günther KIRSTEIN)
- ◆ Ligue pour la protection des oiseaux (LPO/Hautes-Alpes) Corinne MEIZENC, Yves ZABARDI, Christine BARTEÏ
- ◆ Ligue pour la protection des oiseaux Isère (Daniel THONON)
- ◆ Ligue pour la Protection des oiseaux de la Drôme
- ◆ LPO Aude (Lise DAUVERNÉ) with our observer network and some observers of ONF 09, NEO and CEN-ANA
- ◆ LPO Savoie (Bénédicte CHOMEL et Dominique MOUCHENÉ) with the observer network
- ◆ Mercantour national Park and Réseau gypaète Mercantour

- ◆ Murcia (Mario LEÓN, Emilio ALEDO, Nestor YELO y amas)
- ◆ Nationalpark Berchtesgaden (Julia ADAM, Luis OFENSTEIN, Sophia FENNINGER, Simon RUDOLPH)
- ◆ Netzwerk Bartgeier Graubünden (David JENNY)
- ◆ Parc National de la Vanoise (Jérôme CAVAILHÈS)
- ◆ Parc national des Ecrins (Séverine MAGNOLON, Rodolphe PAPET) et les gardes-moniteurs du Parc national
- ◆ Parc naturel du Queyras (Jean-Baptiste PORTIER)
- ◆ Parc Naturel Régional des Baronnies Provençales (Quentin MARTINEZ)
- ◆ Parchi naturali Alpi Cozie (S. ALBERTI, G. ROUX POIGNANT, L. MAURINO, B. USSEGLIO, E. BOETTO, C. METTI, B. FRACHE, R. CHAULET, V. MANGINI, S. VUILLERMOZ, L. GIUNTI, B. AIMONE, G. FERRERO, A. RIZZO, M. PONS, A. VITA, S. MOLINO, C. TAMBONE, D. ZONARI, L. TOMASSONE, L. CEBALLOS, D. GIORDA, L. RAPA, P. MASSARA, S. LUZZATO, M. PARACCHINI, S. PETROZZI, S. PERRON)
- ◆ Parco Nazionale dello Stelvio/Stilfserjoch (Enrico BASSI, Guido FAGINTO De Monte, Franco RIZZOLLI, Andrea ROVERSELLI, Laura TOMASI, Alessandro NARDO and Hans Peter GUNSCH)
- ◆ Parque Nacional de Sierra Nevada (Blanca RAMOS, JM BAREA, Pablo GALDO, Gonzalo MUÑOZ y familia, amas y voluntarios)
- ◆ Parque Natural de Cazorla, Segura y Las Villas (Lina, Alberto GALDÓN, técnicos y AMAS, voluntarios)
- ◆ Parque Natural Sierra de Castril (María del Carmen GARCIA, Amas, voluntarios)
- ◆ Plan de Recuperación y Conservación de Aves Necrófagas Enrique ÁVILA, Luis CARDENTE, Pepe BUENO). Estrategia Lucha Contra el Veneno (Jesús OLIVARES).
- ◆ Provincia di Brescia (Claudio PORRETTI and hunting wardens)
- ◆ Provincia di Sondrio (Emanuele PASINI, Maria FERLONI and hunting wardens)
- ◆ Regional Park Orobic Valtellinesi
- ◆ Réseau Gypaète Suisse occidentale (François BIOLLAZ, Marco ZAHND & Julia WILDI)
- ◆ Schweizerischer Nationalpark (Fadri BOTT, Reto STRIMER, Susanne LOCK, Julia PATERNO) and park rangers
- ◆ Servizio Aree protette, Coordinamento Gev - Città Metropolitana Torino (A. LINGUA, N. BASSO, M. PAVAN)
- ◆ Servizio Tutela della Fauna e della Flora - Città Metropolitana di Torino (F. CAMPRA)
- ◆ Stazioni Forestali del settore altoatesino del Parco Nazionale dello Stelvio (wardens)
- ◆ Stiftung Pro Bartgeier (Franziska LÖRCHER & Daniel HEGGLIN)
- ◆ Südtiroler Jagdverband
- ◆ Swiss Observer Network Grisons
- ◆ TRAGSA (Vicente SANCHO)
- ◆ Unione Montana del Pinerolese (R. JANAVEL, F. BARILE, F. BIANCIOTTO, N. BIANCIOTTO, M. RIBOTTA, M. RIBOTTA, F. LEFEUVRE)
- ◆ VAERSA (Martín SURROCA, Sara FERRERAS, Teresa de CHICLANA)
- ◆ Vautours en Baronnies (Julien TRAVERSIER)
- ◆ Vogelwarte Sempach Switzerland
- ◆ Zentrum Naturerlebnis Alpin (Henning WERTH, Daniela TRITSCHER)

*Numerous people participated and supported this year's International Bearded Vulture Monitoring event. Some of them could not be mentioned or remained unknown to the IBM office. We acknowledge them just as much as those observers mentioned in the long list that follows.*

## Participants / Observers

Adrian Schmid	Aramis Bott	Christian Guillaume	Diego Ebranati
Agnès Fossey	Arcangelo Vita	Christian Köhler	Dilan Pineau
Agostino Parisi	Arianna Aceti	Christian Riols	Dina Wirth
Aïla Tournier	Armand Dussex	Christiane Séillé	Domenico Contratto
Alain Chastin	Armando Janett	Christine Barteï	Domenico Pogna
Alain Doumy	Arnaud Barras	Christine Geanty	Domenico Tosini
Alain Jacot	Arturo Gargioni	Christine Isoardi	Dominic Pircher
Alain Mouchet	Astrid Oehl	Christine Roulaud	Dominique Draperi
Alain Samama	Audrey Arquilliere	Christoph Vogel	Dominique Isoardi
Alain Vincent	Audrey Delacourt	Christophe Gerrer	Dominique Jacquemin
Albert Borz	Audrey Previtali	Christophe Goetz	Dominique Michellod
Albert Casartelli	Audrey Ville	Christophe Pasini	Dominique Mouchenê
Alberto Peracino	Augusto Rivelli	Claire Rameaux	Dominique Secondi
Albert Thon	Aurel Salamin	Claire Wetzstein	Doris Schmid
Alberto Galdon	Aurélien Dion	Clara Petazzi	Eduardo Gómez
Alberto Ressa	Aurelio Lubini	Claude Chabrol	Elena Raina
Alberto Rossotto	Aurore Garnavault-	Claude Gouron	Elfi Petrikat
Alberto Sancho	Blanchard	Claude Pfau	Elias Gentolini
Albino Rigali	Axel Peyric	Claude Romain	Elie Garet
Aldo Fasoli	Aziz Saatov	Claudia Linty	Elio Polla
Aldo Rizzo	Barbara Li Sanli	Claudia Metti	Elisa Pietribiasi
Alessandro Bergamo	Barbara Rehmman	Claudia Mueller	Elisabeth Bürkli
Alessandro Bertoli	Bastien Brunon	Claudio Bazzell	Elisabeth Kalbermatten
Alessandro Biondelli	Bastien Gulbert	Clément Lécuyer	Elodie Antoine
Alessandro Corgatelli	Battista Silvestri	Clémentine Ageron	Elsi Dettli
Alessandro Mercogliano	Bea Stucki	Clémentine Bougain	Emanuela Marzoli
Alessandro Nessi	Beat Egli	Clémentine Dentz	Emanuele Forlani
Alessia Carrara	Beat Landolf	Coralie Theux	Emanuele Pasini
Alessia Chiappini	Beat Steigmeier	Corentin Depernet	Emauel Egger
Alex Gruit	Belen Rodevo	Corinne Meizenc	Emil Kuen
Alexys Rosa	Ben Chomel	Cristian De Lorenzi	Emilie Chantry
Alfred Paris	Benjamin Ganivet	Cristina Giosele	Emilie Favier
Alicia Mabillard	Benjamin Payet	Cristina Movalli	Emilio Cruz
Amandine Capel	Benoit Gascard	Cristina Nencini	Emilio Galipienso
Amélie Sabanovic	Bernard Genand	Cristino Punzano	Emilio Lopez
Anaïs Dumaterro	Bernardino Caravaca	Cristobal Muñoz	Emmanuel Blanchet
Anaïs Merdrignac	Bernd Kleinschod	Curdin Köhli	Emmanuel Massard
Anaïs Reynaud	Bianca Kleiber	Dada Oreiller	Emmanuel Revaz
Andi Kofler	Bienvenido Lorenzo	Damien Mori	Endrich Silvestri
André Pichard	Blanca Ramos	Daniel Carde	Enrico Bassi
Andrea Ferrari	Brigitte Kraft	Daniel Chiardola	Enrico Boetto
Andrea Leccese	Brigitte Pfau	Daniel Godli	Enrico Caprio
Andrea Parisi	Bruno Aimone	Daniel Kofler	Enrico Ferrarini
Andrea Roverselli	Bruno Frache	Daniel Matti	Enrique Ávila
Andrea Vercesi	Bruno Usseglio	Daniel Meier	Enrique Villar
Andrea Vignetta	Camille Boccon-Gebeaud	Daniel Rodrigues	Eric Belleau
Andrea Zanichelli	Car For. Bottini	Daniela Hldner	Eric Carquillat
Andrea Zanolì	Car For. Cattaneo	Daniela Rothen	Erica Marin
Andreas Baldinger	Car For. Di Dio	Daniela Tritscher	Erich Joos
Andreas Gantenbein	Carlos Herrera	Danièle Chaussard	Ernest Spichiger
Andreas Gärber	Carlos Rossi	Daniele Reteuna	Etienne Marle
Andreas Tschöll	Carola Reetz	Daniele Spigoli	Etienne Marlé
Andreas Unterhofer	Catherine Nombret	Daniele Valfre	Ettore Mozzetti
Andres Rivera	Cathy Hustache-Ribot	Daniele Zonari	Fabian Gorfer
Andrew Hargreaves	Cécile Laurencot	Dario Favre	Fabien Haage
Ange Simeoni	Cecilia Tambone	Dario Rigaldo	Fabio Consolino
Angel Carrascosa	Cédric Bertano	David Cuerda	Fabio Lepori
Angelo Battaglia	Célestin Luisier	David Jenny	Fabrice Babetto
Angelo Dan	Céline Luciano	David Richier	Fadri Bott
Angelo Pasqua	Céline Marconnot-Thanneur	David Ulrich	Fanny Arguila
Anna Corti	Cesare Dell'acqua	Davide Giorda	Fanny Routin
Annalisa Rebecchi	Chiara Caminada	Davide Sevega	Fanny Zambaz
Anne-Laure Martin	Chiara Scandolara	Davide Sigaudò	Farina Sooth
Annina Buchli	Christa König	Davide Zubiani	Federica Lantelme
Anton Ploner	Christelle Caprera	Demis Massoni	Ferdinand Lainer
Antonella Cordedda	Christian Balais	Denis Attinault	Fiore Cao
Antonella Dematte	Christian Bazin	Denise Mestre	Flavia Paoletti
Antonio Alcocer	Christian Brunet	Desiderio Lopezosa	Florence Chantepie
Antonio Angulo	Christian Couloumy	Didier Freychet	Florence Mugnier-Merlin
Antonio Lingua	Christian Rothen	Didier Warnet	Florian Lefeuvre

Florian Paloyer	Ionne Piazzi	Karl Anton Pegoraro	Marie-France Fosanelli
Florie Swoszowski	Isabelle Battentier	Kaspar Götsch	Marie-Françoise Aubert
Flurin Wehrli	Isabelle Buttner-Soria	Katia Lhoste-Asensio	Marie-Hélène Lambert
Francesca Cozzi	Isabelle Desbiolles	Katja Rauchenstein	Marie-Laure Uginet-Ulliel
Francesca Marrucco	Isabelle Mouchet	Kevin Dupuis	Marie-Madeleine Mouchet
Francesco Barile	Isaia Filippini	Klaus Bliem	Marie-No Bastard
Francesco Bianciotto	Italo Armanasco	Klaus Leitner	Mario Dalmasso
Francesco Campra	Ivailo Klisurov	Konstantin Dichev	Marion Bensa
Francesco Malfasi	Ivan Brancazi	Kurt Obrist	Marion Mugnier-Merlin
Francesco Panuello	Ivano Adami	Kurt Stolzlechner	Marius Vasile
Francine Terrier	Jack Samuel	Laura Guyot	Marlène Sauthier
Francisco Vicario	Jackie Simon	Laura Tomasi	Martin Mermier
Franck Della Vedova	Jacqueline Chiardola	Laura Tomassone	Martin Schmutz
Franck Parchoux	Jacques Cloutier	Laurent Colombet	Martin Springeth
Franco Aresi	Jacques Droz	Laurent Marais	Martin Surroca
François Biollaz	Jean Draperi	Laurent Martin-Dhermont	Martin Wettstein
François Breton	Jean Queyron	Laurent Ripert	Martine Dupont
François Claude	Jean-Baptiste Bailleux	Laurent Salino	Martine Ruty
Françoise Gaultier	Jean-Baptiste Portier	Laurent Theophile	Martino Bertella
Françoise Tabardel	Jean-Claude Coupez	Lea Giraud	Mary Manteau
Franziska Lörcher	Jean-François Caty	Leonardo Ceballos	Maryannick Bonnafoux
Fred Bourdat	Jean-José Richard-Pomet	Lidia Panada	Massimiliano Longo
Fred Varlet	Jean-Luc Dunand	Lilou Grandjean	Massimiliano Pasini
Fulgencio Sanchez	Jean-Luc Jardin	Lionel Favre	Massimiliano Pons
Gabriele Gianatti	Jean-Marc Blanchard	Lise Dauverne	Massimo Crema
Gabriele Pizzo	Jean-Marie Geffrin	Livia Curti	Massimo Ferrier
Gabriella Cavagnino	Jean-Noël Loireau	Loïc Zuber	Massimo Lucco
Gatien Charbonnier	Jean-Paul Coulomb	Lorenzo Rapa	Massimo Pettavino
Geneviève Coupez	Jean-Pierre Blanc	Louis Teyssier	Massimo Prati
Geneviève Guicheteau	Jean-Pierre Brovelli	Luca Fornasari	Massimo Romelli
Geoffrey Garcel	Jean-Pierre Niermont	Luca Giunti	Mateo Saino-Calabretto
Georg Fiedler	Jean-Pierre Richaud	Luca Maurino	Mathéo Paloyer
Georges Hudry	Jeanlaurent Jordaney	Luca Ravizza	Mathieu Bourgeois
Georges Reyhler	Jérome Gruit	Lucezar Boncey	Mathieu Robert
Georgi Stoyanov	Jesus Igancio Sanchez	Lucie Lombard	Matteo Cuna
Georis Cortesi	Jesús Miñano	Lucien Tron	Matthias Lehnert
Gerald Lesacher	Jesús Olivares	Lucile Doche	Matthieu Vaslin
Géraldine Chavey	Jo Lombard	Ludvine Leite	Mattia Bongiolatti
Ghislaine Nortier	Joaquín Caballero	Ludovic Klein	Mattia Colombo
Giacomo Regazzoni	Joaquín Gamboa	Luigi Bertero	Maurice Perraudin
Giacomo Zuccaro	Joaquín Pérez	Luis Cardenete	Maurizio Azzolini
Giampaolo Brignoli	Johann Primisser	Luis Galera	Maurizio Chierighin
Gianni Lardgiader	Johannes Denkinger	Luis Ofenstein	Maurizio Pozzi
Gianni Oppi	Johannes Telser	Madeleine Geiger	Mauro Belardi
Gianpiero Cammerini	Johannes Tomaschett	Magali Nuyts	Mauro Castelli
Gil Streichert	John Holliday	Malika Labatut	Mauro Paracchini
Gilles Moisson	John Kristian Skei	Manfred Hohenegger	Mauro Ribotta
Gioia Giuntoli	Jon Men Marchi	Manfred Wörnhardt	Mauro Speziari
Giorgio Mangili	Jonathan Clack	Manfred Wörnhardt	Meinrad Zingerle
Giorgio Paesani	Jonathan Coizon	Manuel Pelegrina	Mélissa Gallien
Giovanni Bailo	Jonathan Kemp	Manuela Pavan	Menga Marchi
Giovanni Ferrero	Jordan Petitjean	Marc Corail	Michael Fritz
Giovanni Natale	Jose Angel Ruiz	Marco Bertelli	Michael Gähwilder
Giulio De Carlo	Jose Antonio Andrada	Marco Cucchiara	Michael Quintus
Giuseppe Ferrero	Jose Carrillo	Marco Dellanoce	Michael Stofner
Giuseppe Marianini	Jose Mellado	Marco Ghisolfi	Michel Antoniazza
Giuseppe Roux Poignant	Jose Navarro	Marco Gobbini	Michel Bailly-Maitre
Gloria Suarez	Jose Vicente Gomez	Marco Regge	Michel Bouchard
Gradimir Jovchev	Juan Alfonso Lozano	Marco Salsotto	Michel Bouche
Grégory Dhainaut	Juan Jose Bas	Marco Zahnd	Michel Chesaux
Guillaume Laigle	Juan Jose Molina	Maria Cravero	Michel Maire
Günther Kirstein	Juan Ramón Jimenez	Maria Del Carmen Garcia	Michel Metayer
Hans Meierhans	Jules Heuret	Maria Grazia Carpi	Michelangelo Giordano
Hansruedi Batzli	Julia Adam	Maria Romero	Michele Antonioli
Harald Braunhofer	Julia Brahim	Mariagrazia Folatti	Michele Braghini
Hartmann Mühlsteiger	Julia Paterno	Marianne Correard	Michèle De Coster
Heidi Roschitzki-Voser	Julia Wildi	Marianne Lörcher	Michèle Moisson
Hélène Force	Julien Mazenauer	Mariano Hernández	Michèle Nicolas-Saillant
Hélène Hembert	Julien Traversier	Marie Heuret	Michelle Ribotta
Henning Werth	Juliette Huon	Marie Pagès	Miguel Ángel Castillo
Henry Ripert	Julio Jose Valero	Marie Rolland	Miguel Artell
Hervé Blanchin	Jürgen Petrikat	Marie Rovera	Miguel Canovas
Hristo Peshev	Juri Clericetti	Marie-Anne De Vathaire	Mike Schaad
Hugues Pottier	Justine Kordylas	Marie-Antoinette Bianco	Mirco Lauper
Ignacio Gamez	Karine Moussiégt	Marie-Cécile Moisson	Mireille Coulou

Mirko Micheletti	Piero Migliore	Rossana Dassetto Daidone	Sylvain Suzan
Monika Merki	Pierre Avril	Rudi Kaincz	Sylvie Geneve
Monika Monn	Pierre Boissier	Ruedi Ettl	Sylvie Mosdale
Monique Clerc	Pierre Bonneau	Ruth Klucker	Teresa De Chiclana
Morgane Hay	Pierre Bouvet	Ruud Garama	Tessie Marais
Nadia Severgnini	Pierre Budin	Samy Michel	Théo Gautier
Nadine Budin	Pierre Kervin	Sandra Sáez	Théo Mazet
Nella Gulino	Pierre Tardivel	Sandy Lanthelme	Théotime Revaz
Nicola Bianciotto	Pierre-Antoine Grappeloup	Sara Cioccarelli	Thierry Arsac
Nicola Ferrari	Pilar Rubio	Sara Ferreras	Thomas Bachofner
Nicolas Bertrand	Pino Gluderer	Sarah Guiheux	Thomas Buton
Nicolas Morisset	Polo Faifer	Sébastien Brégeon	Thomas Dreher
Nicolas Tenoux	Quentin Giry	Sébastien Spinari	Thomas Gorr
Nicole Carquillat	Quentin Martinez	Sebastien Tachet	Thomas Jonet
Nicole Erard	Rafael Sanchez	Serafina Petrozzi	Thomas Wehrli
Nicolò Grasso	Raffaella Miravalle	Serge Denis	Thomas Windisch
Nils Zimmermann	Rainer Gotthard	Sergio Perron	Tiziana Odelli
Nino Basso	Ralf Vanscheidt	Séverine Magnolon	Tommy Bulle
Norbert Jordan	Ralph Imstepf	Severino Moranduzzo	Toni König
Olivier Laurent	Ralph Müller	Silvana Nembrini	Toni Wegscheider
Olivier Peter	Ramiro Rodriguez	Silvana Signorell	Ugo Parolini
Olivier Staiger	Ramon Morcillo	Silvia Alberti	Ulisse Guichardaz
Olivier Trompette	Raphaël Arlettaz	Simeon Marin	Urs Wirth
Omar Bonazzi	Raymond Meyer	Simon Jaeger	Valentina Babolin
Pablo Galdo	Raymond Ulliel	Simon Keller	Valentina Mangini
Pablo Luis Villar	Régis Jordana	Simon Rudolph	Valeria Moris
Padruot Signorell	Reinhard Gorfer	Simona Danielli	Valérie Arzur
Paola Rizzi	Remo Basso	Simona Molino	Valérie Hagry
Paolo Fenoglio	Rémy Henzelin	Simone Liechti	Verena Eichenberger
Paolo Guglielmetti	Renato Chevrere	Simone Luzzato	Véronique Rémyot
Paolo Massara	Renato Scarafoni	Simone Minessi	Vicente Sancho
Pascal Charriere	Renzo Guglielmetti	Simonetta Cutini	Vincent Mugnier-Merlin
Pascal Labbé	Reto Strimer	Sonia Giussani-Gotti	Vincenzo Ragaglia
Pascal Lhotte	Ricardo Castillo	Sophia Fenninger	Vittorio Saccoletto
Pascal Sonnenwyl	Ricardo Moreno	Sophie Marti	Walter Palfrader
Patrice Nortier	Riccardo Ferrari	Sophie Roux	Walter Vallet
Patrice Saillant	Richard Bonnet	Steeve Peyron	Werner Rokitzky
Patrick Damiano	Richard Mazagg	Stefan Sprenger	Werner Wolfsgruber
Patrick Gaultier	Richard Prime	Stefania Capelli	William Hamouchi
Patrick Marti	Robert Zegg	Stefania Marazia	Xavier Fribourg
Patrick Perret	Roberto Bressanelli	Stefania Vuillermoz	Xavier Gallice
Patrick Scimè	Roberto Chaulet	Stefano Allavena	Yann Blanchard
Patrik Cizzali	Roberto Lardelli	Stefano Andretta	Yoan Desmoucelles
Paul Gassebner	Roberto Permunion	Stefano Liviello	Yoé Chetboun
Paul Vaast	Robi Janavel	Stefano Marcolli	Yvan Sibourg
Pepe Bueno	Robin Séchaud	Stefano Zuccaro	Yves Jacquemoud
Philippe Fritz	Rocco Leo	Steffen Kast	Yves Jobert
Philippe Malnoury	Rocco Umbescheidt	Stéphane Lucas	Yves Lazennec
Philippe Maret	Rodolphe Papet	Stéphanie Brettnacher	Yves Roullaud
Philippe Mulatier	Rodolphe Rauber	Susanna Rossi	Yves Zabardi
Philippe Munier	Roland De Coster	Susanne Lock	
Piero Bonvicini	Rosalba Di Tanna	Susi Bähler	
Piero Borre	Rosanna Pedrini	Suzanne Houot	
Piero Chabod	Rose Ranieri	Sylvain Combe	